

# 西峰工程 有限公司 公 备

	M6200F	M6200   3-4170/ 4G/ 1T/ DVD/ / 19.5	WIN7 HOME OEM
	T4900V	T4900   3-4170/4G/500G/DVD/ /19.5	
	T4900V	T4900   3-4170/4G/500G/DVD/1G /19.5	
	HP 280	HP 280   36100 / 4G / 500G / DVDRW19.5	
	HP 280	' HP 280   3-4170/4G/1T/DVD/ /19.5	
		3 6100 / 4G/ 500G / DVD /19.5	WIN7 Pro OEM
		i 3 4170/4G/1T/DVD/ 19.5	
	' E40-70	' E40-70   3 4030 4G 500G DVDRW 2G	OEM
	B41-80	B41-80   5-6200U 4G 500G DVDRW 2G	
	B41-80	' B41-80   5 6200 4G 1T DVDRW 2G	



		16 17 18 19	12.95" x 44"	3mm	USB	USB	USB 2.0	20W   50/1 EC 24712	6.9W	
	R330									
	L360	1	1	5	4	3	8.8i pm	4.3i pm		
		10 (A4) 32 ppm / /	A4/3	(A4) 15 ppm 6 / /	/	5760*1440dpi / 4 x 6			27	

外设类打印机

	Mf229dw	A4	50	128MB	1200x 600dpi	25 /				
				: 250	: 1	10000	CRG328			
				: 2,100	: 1,000					
	7018C			1, ID	10/101Base-T					
	MP288	A4	56, A4	6.3cpm( )	2.7cpm( )	4" x 6"	FCOT 39 ( )			
				4800*1200dpi, 4800x 1200dpi		1200x 2400dpi				
		20								

	M28	A4 : 26PPM 9 USB 2.0 100+1	600x 600dpi 266MHz 250+1 64 MB 10000 DCP- 7080 5.9kg ( )
	CM18W	10ppm (IEEE 802.11b/g/n) 60-163gsm (PDF/JPEG/TIFF) 500	12ppm 256MB USB FTP/SMB(PDF/JPEG/TIFF) 14.5kg USB2.0
	DPM268	A4 : 30PPM 15 295MHz 250+10	1200 x 1200dpi 64MB 1000 125 20000 6.8kg 35 8.5 - 10 2500 USB 2.0
	S2011	22 / 38 2GB+16GB SD 1-999 60-300g PostScript 3	7.8 10.2 150 600*600dpi PCL6(XL, Ver. 3.0) 1.58KW 2 500 25% 400% PCL5e/c XPS ver1.0, pdf1.7 USB2.0 USB

